

Info shared by Pitbull SA.

Manjaro APBT kennel.

South Africa.

My Website <http://www.pitbullsa.co.za/>

My E mail "manjaro@pitbullsa.co.za"

My Facebook "Gawie Manjaro"

My Facebook page "Manjaro Kennel"

My mobile +27827838280.

Zello.com "VoIP" – ask for info.

Colloidal silver.

[Dr. Robert O. Becker](#) proved the healing properties of silver ions contained in silver.

Read [here](#) about how the International space station and the Russian space station utilized Colloidal Silver.

Colloidal Silver is a natural and powerful broad spectrum antibiotic agent, it also has excellent antiseptic, antifungal and disinfectant properties.

Silver is one of the most effective substances for fighting antibiotic resistant super-pathogens such as MRSA.

How colloidal silver is made.

Pure silver will not dissolve in water;

Pure silver will dissolve & float permanently in water if a process is employed that divides the silver into single atoms of micro-clusters of less than 15 atoms each;

Gives the atoms a positive electrical charge;
Attaches the atom to a molecule of simple protein;
This process is called colloidal suspension;
As the force of the electrical charge is stronger than gravity the silver particles remain suspended;
True Colloidal Silver is a colorless liquid (not yellow) because the micro-clusters are too small for light from the micro-cluster to reflect back to the human eye.

Discovery.

Robert O. Becker discovered how colloidal silver actually works **to speed healing**. Colloidal silver creates a condition in which usual cell division (mitosis) in body tissue is altered to create one duplicate cell and one dedifferentiated cell.

The dedifferentiated cell:

Is like a blank template that can change into any type of cell in the body;

Will naturally migrate to a part of the body where tissue damage exists;
Once there the cell transforms to the characteristics of the local tissue type cell where it then supports normal cell repair in the injured area and will also lessen scar tissue formation.

Colloidal silver Kills virus, fungus and bacterium.

Kill fungus.

Fungus is comprised of a series of single cells which –like a single cell bacterium; has a chemical lung that is permanently disabled by the presence of Colloidal Silver.

Kill viruses.

(One-celled disease causing pathogens)

Colloidal Silver cripples the pathogens oxygen-metabolizing enzyme (chemical lung) causing suffocation and death of the pathogen – this process typically occurs within six minutes.

Disease organisms can become resistant to conventional antibiotics (triggering super-infections) as pathogens have enough time to mutate allowing the organism

to become immune to the antibiotic during the period of time in which the antibiotic takes effect.

Because colloidal silver works at a faster pace pathogens do not have the opportunity to mutate so there is no risk of immunity occurring.

A single virus cell invades a living cell of body tissue and then takes over the nucleus of the living cell and alters its re-productive mechanism to reproduce the virus rather than producing what it was originally intended to produce – i.e. enzymes, hormones, and other necessary chemicals.

The virus is then released into the bloodstream.

When the virus attacks the cell, the living cell transforms back to a more primitive cell structure which is vulnerable to the effects of Colloidal Silver.

Topical uses.

Use either the gel form or liquid form.

Will not sting when applied topically to wounds, abrasions etc. as colloidal silver kills topical germs without harming surrounding tissue;

Is non-toxic to dogs unless it is ingested in substantial quantities over a long period of time – in which case it could cause liver and/or kidney problems;

Does not have any known interactions with drugs or herbs;

Is non-allergenic, it does not react chemically on or within the body and therefore cannot trigger an allergic reaction

Abrasions, cuts and wounds – disinfect & speed healing.

Apply Colloidal Silver directly to the wound and if you are applying a dressing (wrap or bandage) apply a little Colloidal Silver to the dressing as well;

As Colloidal Silver will not react with other medications it can be used with another medication.

Canine acne.

Use a small piece of a cotton ball, massage a small amount of Colloidal Silver in to the problem areas two to three times a day.

Conjunctivitis (Pink-eye).

Drop 2 to 3 drops of Colloidal silver water into the eye 2 to 3 times a day;

You can also use Colloidal silver gel – line the underside of the eye with a thin strip of the gel 2 to 3 times a day.

Ear Infections.

For ear infections place 3 to 5 drops of Colloidal Silver water into the ear canal 2 to 3 times a day;

Gently rub/massage the ear in a circular motion, then remove your hand and let your dog/cat shake its head;

You can use a cotton ball to gently wipe any excess liquid off the inside of the ear flap;

If you need to use a cotton swab to clean more precisely – never put the cotton swab past the portions of the ear that you can readily see...do not put the swab into the ear canal – you can very easily damage the ear drum either temporarily or permanently!

Do not use any of these treatments if your animal's ear drums are perforated/punctured;

Swab the inner-ear flap with Colloidal Silver water or gel once or twice a day;

For more information on ear infections:

Causes;

Treatments;

You can read this [article](#).

Hot Spots, Skin Rash.

Use a cotton ball to apply (dab) Colloidal Silver directly onto the affected area – rub gently. Repeat several times daily.

Insect Bites.

Use a cotton ball to apply (dab) Colloidal Silver directly onto the affected area – rub gently...

To sooth bites and sting sites;

To disinfect after removal of, i.e.:

Blow fly larvae;

Ticks;

Rash from flea bites;

Periodontal issues, infected tooth, bleeding gums.

Topical Treatment.

Use a cotton ball to apply (dab) Colloidal Silver directly onto the affected area – rub very gently;

Repeat several times daily;

Ingested treatment:

If the infection/inflammation is severe you may also want to administer an ingested treatment of Colloidal Silver;

See dosage provided under 'Ingested uses for Colloidal Silver' below.

Ingested uses.

Use the liquid form.

Colloidal Silver takes five (5) to seven (7) days – on average, for the initial benefits of ingesting Colloidal Silver to start taking effect;

By the tenth (10th) day – on average, Colloidal Silver builds up in the body tissues to at least a concentration of five (5) parts per million (ppm);

Body tissue that contains 5 ppm of Colloidal Silver will be free of virus, fungus and bacterium;

Some dogs and people ... may show some signs of achiness or sluggishness on the 3rd or 4th day into ingested treatment as the Colloidal Silver works to eliminate a significant amount of toxins from the body;

This occurs when there are many toxins present in the body and the eliminatory organs (i.e. bladder, kidney, liver) become overloaded trying to pass the toxic matter;

To avoid this make sure you encourage your dog to drink more fluids during treatment;

You can add homemade chicken stock ([recipe in this article](#)) to your dog's meals or provide a small bowl filled with chicken stock next to your dog's water bowl to encourage additional intake of fluids;

You can offer a bowl of [green tea](#) or [rooibos tea](#) or [parsley water](#) with a few drops of [fresh lemon](#) and a few drops of [raw unpasteurized honey](#);

Keeping fluid levels up will help your dog's system efficiently flush out toxins;

One to three weeks after ceasing the treatment, the efficacy of the Colloidal Silver build-up has dissipated as the silver leaves the body via the kidneys, lymphatic system and bowels;

The daily intake (dosage) is provided below;

For treating an active infection or ailment, treatment is 2 to 3 times daily for 10 consecutive days, after which point the course of treatment is complete.

Caution regarding ingested treatments.

If your dog suffers from renal issues placing additional burdens on your dog's kidneys, liver, and bladder is not a good idea – so consult with your veterinarian before you use colloidal silver.

Treat disease conditions with colloidal silver.

- Acne,
- Allergies,
- Angina,
- Anthrax,
- Appendicitis (Supportive post-operative),
- Arthritis,
- Athlete's foot,
- Axillae and blind boils of the neck,
- Bladder Irritation or Inflammation,
- Blepharitis,
- Blood poisoning,
- Boils,

Burns or Wounds (Corneal),
Cancer,
Candida Albicans,
Catarrh (Nasal & Nasopharyngeal),
Catarrh (Spring),
Cholera,
Colds,
Colitis,
Conjunctivities (Gonorrhoeal),
Conjunctivitis (Phlyctenular),
Cough (Whooping),
Cystitis (Chronic),
Dacrocystitis,
Dermatitis (due to Extreme Toxemia),
Diabetes,
Diarrhea,
Diphtheria,
Dysentery (Bacillary),
Ear Infections (Inner Ear),
Eczema (Chronic Anterior or Meatus of the Ear),
Eczema (Perineal),
Eczema (Pustular of Scalp),
Edematous Enlargement of Turbinates (w/o True Hyperplasia),
Epididymitis,
Erysipelas,
Eustach Tubes,
Fatigue (Chronic),
Fibrositis,
Furunculosis,
Gastritis,
Gonorrhoea,
Halitoses (Bad Breath),
Hayfever,
Hemorrhoids,
Herpes or Shingles,

Impetigo,
Indigestion,
Infantile Disease,
Inflammation,
Infections (Bacterial, Fungal, Parasitic or Viral),
Pleurisy,
Polyps (Nasal),
Prostate (Enlarged or Inflamed),
Prostatic Gleet (Gonorrhoea Pruritis Ani),
Psoriasis,
Pyorrhoea Alveolaris (Riggs Disease),
Quinsy, Rheumatism (Inflammatory),
Rheumatoid Arthritis,
Rhinitis, Ringworm,
Scarlatina,
Scarlet Fever Seborrhoea,
Sepsis (Ears,
Eyes,
Mouth and Throat),
Septicemia (Puerperal),
Sinusitis,
Skin Rash (Diapers),
Sores (Soft,
Sprue,
Staph or Strep Throat, Stomach Flu,
Thyroid Disorders,
Tonsillitis,
Tonsillitis (Follicular & Septic),
Tooth Decay,
Toxemia (Extreme Systemic),
Trachoma,
Tuberculosis,
Typhoid Fever,
Ulcers (Corneal Infected),
Ulcers (Septic in Legs),

Ulcers (Stomach,
Urticaria (Ulcerative, due to Extreme Toxemia),
Vasculitis Inflammation,
Vorticella,
Warts,
Yeast Infections.

Selecting a good quality product.

Liquid or gel form for ingested treatment

Topical gel for exterior application.

The best quality Colloidal Silver **does not** contain any stabilizers or other additives, **and should not** list any trace elements other than silver on the product label.

It should **not need to be shaken before use** and **should not need to be refrigerated**;

You can use Colloidal Silver water and/or gel;

Colloidal Silver should not be yellow in colour.

As noted further above **true Colloidal Silver** is a **colorless liquid (not yellow)** because the micro-clusters are too small for light from the micro-cluster to reflect back to the human eye...

Know this! ... Many manufacturers unwittingly create their product **under the false pretense that Colloidal Silver should be yellow in colour.**

To create the colour they will add food coloring (artificial food coloring is a toxin and carcinogen) or other coloring agents.

The colour of Colloidal Silver will be yellow under the following undesirable conditions;

The silver used is;

A silver sulphide type of silver that is primarily used in making ceramics – this is not a desirable quality of silver for use in Colloidal Silver;

Silver Oxide which is brownish-black in colour ... **is also not a desirable quality of silver to use;**

If the particles of silver are too big in size – which will make the product much less effective;

If the silver **losses its colloidal state (suspension) and precipitates out of the solution (will have a black tinge)** the product will lose its efficacy and should be disposed of – contrary to what some people advise, shaking the solution will not bring the particles back to a colloidal state;

If food coloring or other coloring agents have been used.

Do not purchase or use products that have any of these attributes as they are inferior in quality!

Where to purchase.

Health and natural food stores;

Herbal and homeopathic stores;

Organic health stores;

(One-celled disease causing pathogens)

Colloidal Silver cripples the pathogens oxygen-metabolizing enzyme (chemical lung) causing suffocation and death of the pathogen – this process typically occurs **within six minutes.**

Disease organisms can become resistant to conventional antibiotics (triggering super-infections) as pathogens have enough time to mutate allowing the organism to become immune to the antibiotic during the period of time in which the antibiotic takes effect.

Because colloidal silver works at a faster pace pathogens it do not have the opportunity to mutate so there is no risk of immunity occurring.

Speeds healing.

Robert O. Becker discovered how colloidal silver actually works to speed healing.

Colloidal silver creates a condition in which usual cell division (mitosis) in body tissue is altered to create one duplicate cell and one dedifferentiated cell.

The dedifferentiated cell:

Is like a blank template that can change into any type of cell in the body;

Will naturally migrate to a part of the body where tissue damage exists;

Once there the cell transforms to the characteristics of the local tissue type cell where it then supports normal cell repair in the injured area and will also lessen scar tissue formation.

Kill fungus.

Fungus is comprised of a series of single cells which –like a single cell bacterium; has a chemical lung that is permanently disabled by the presence of Colloidal Silver.

Kill viruses.

A single virus cells invades a living cell of body tissue and then takes over the nucleus of the living cell and alters its re-productive mechanism to reproduce the virus rather than producing what it was originally intended to produce – i.e. enzymes, hormones, and other necessary chemicals.

The virus is then released into the bloodstream.

When the virus attacks the cell, the living cell transforms back to a more primitive cell structure which is vulnerable to the effects of Colloidal Silver.

Topical uses.

Use either the gel form or liquid form.

Will not sting when applied topically to wounds, abrasions etc. as colloidal silver kills topical germs without harming surrounding tissue;

Is non-toxic to dogs unless it is ingested in substantial quantities over a long period of time – in which case it could cause liver and/or kidney problems;

Does not have any known interactions with drugs or herbs;

Is non-allergenic, it does not react chemically on or within the body and therefore cannot trigger an allergic reaction...

Abrasions, cuts and wounds – disinfect & speed healing.

Apply Colloidal Silver directly to the wound and if you are applying a dressing (wrap or bandage) apply a little Colloidal Silver to the dressing as well;

As Colloidal Silver will not react with other medications it can be used with another medication.

Canine acne.

Use a small piece of a cotton ball, massage a small amount of Colloidal Silver in to the problem areas two to three times a day.

Conjunctivitis (Pink-eye).

Drop 2 to 3 drops of Colloidal silver water into the eye 2 to 3 times a day;
You can also use Colloidal silver gel – line the underside of the eye with a thin strip of the gel 2 to 3 times a day.

Ear Infections.

For ear infections place 3 to 5 drops of Colloidal Silver water into the ear canal 2 to 3 times a day;

Gently rub/massage the ear in a circular motion, then remove your hand and let your dog/cat shake its head;

You can use a cotton ball to gently wipe any excess liquid off the inside of the ear flap;

If you need to use a cotton swab to clean more precisely – never put the cotton swab past the portions of the ear that you can readily see...do not put the swab into the ear canal – you can very easily damage the ear drum either temporarily or permanently!

Do not use any of these treatments if your animal's ear drums are perforated/punctured;

Swab the inner-ear flap with Colloidal Silver water or gel once or twice a day;

For more information on ear infections:

Causes;

Treatments;

You can read this [article](#).

Hot Spots, Skin Rash.

Use a cotton ball to apply (dab) Colloidal Silver directly onto the affected area – rub gently. Repeat several times daily.

Insect Bites.

Use a cotton ball to apply (dab) Colloidal Silver directly onto the affected area – rub gently...

To soothe bites and sting sites;

To disinfect after removal of, i.e.:

Blow fly larvae;

Ticks;

Rash from flea bites;

Periodontal issues, infected tooth, bleeding gums.

Topical treatment...

Use a cotton ball to apply (dab) Colloidal Silver directly onto the affected area – rub very gently;

Repeat several times daily;

Ingested treatment:

If the infection/inflammation is severe you may also want to administer an ingested treatment of Colloidal Silver;

See dosage provided under 'Ingested uses for Colloidal Silver' below.

Ingested uses.

Use the liquid form.

Colloidal Silver takes five (5) to seven (7) days – on average, for the initial benefits of ingesting Colloidal Silver to start taking effect;

By the tenth (10th) day – on average, Colloidal Silver builds up in the body tissues to at least a concentration of five (5) parts per million (ppm);

Body tissue that contains 5 ppm of Colloidal Silver will be free of virus, fungus and bacterium;

Some dogs and people :>) may show some signs of achiness or sluggishness on the 3rd or 4th day into ingested treatment as the Colloidal Silver works to eliminate a significant amount of toxins from the body;

This occurs when there are many toxins present in the body and the eliminatory organs (i.e. bladder, kidney, liver) become overloaded trying to pass the toxic matter;

To avoid this make sure you encourage your dog to drink more fluids during treatment:

You can add homemade chicken stock (recipe in this article) to your dog's meals or provide a small bowl filled with chicken stock next to your dog's water bowl to encourage additional intake of fluids;

You can offer a bowl of green tea or rooibos tea or parsley water with a few drops of fresh lemon and a few drops of raw unpasteurized honey;

Keeping fluid levels up will help your dog's system efficiently flush out toxins;

One to three weeks after ceasing the treatment, the efficacy of the Colloidal Silver build-up has dissipated as the silver leaves the body via the kidneys, lymphatic system and bowels;

The daily intake (dosage) is provided below;

For treating an active infection or ailment, treatment is 2 to 3 times daily for 10 consecutive days, after which point the course of treatment is complete.

Caution regarding ingested treatments.

If your dog suffers from renal issues placing additional burdens on your dog's kidneys, liver, and bladder is not a good idea – so consult with your veterinarian before you use colloidal silver.

Daily dosage for ingested treatment.

Small size dogs: 1kg – 5 kg – 1/16, tsp two to three times a day for 10 days;

+5 to 15kg – 1/8, tsp two to three times a day for 10 days;

Medium size dogs: +15-20kg – 1/4, tsp two to three times a day for up to 10 days;

+20-25kg – 1/2, tsp

Large size dogs: +25-40kg – 3/4 tsp, two to three times a day for up to 10 days;

Colloidal Silver should not be yellow in colour.

As noted further above **true Colloidal Silver** is a **colorless liquid** (not yellow) because the micro-clusters are too small for light from the micro-cluster to reflect back to the human eye.

Many manufacturers unwittingly create their product under the false pretense that Colloidal Silver should be yellow in colour.

To create the colour they will add food coloring (artificial food coloring is a toxin and carcinogen) or other coloring agents.

The colour of Colloidal Silver will be yellow under the following undesirable conditions;

The silver used is;

A silver sulphide type of silver that is primarily used in making ceramics – this is not a desirable quality of silver for use in Colloidal Silver;

Silver Oxide which is brownish-black in colour and is also not a desirable quality of silver to use;

The particles of silver are too big in size – which will make the product much less effective;

If the silver loses its colloidal state (suspension) and precipitates out of the solution (will have a black tinge) the product will lose its efficacy and should be disposed of – contrary to what some people advise, shaking the solution will not bring the particles back to a colloidal state;

If food coloring or other coloring agents have been used.